

Parking Standards

Table EMMC 17.55.120(a) Dimensions for Parking Stalls and Aisles

Parking Angle	Stall Width	Stall Length	Aisle Width*	Aisle Width**
Parallel	9'	18'	N/A	12'
45	9'	18'	25'	14'
60	9'	18'	25'	18'
90	9'	18'	24'	24'

* Two-way traffic only

** One-way traffic only

Table EMMC 17.55.120(b)

Total Number of Parking Spaces Provided in Parking Facility (per facility)	Minimum Number of Accessible Parking Spaces (car and van)	Column B Minimum Number of Van- Accessible Parking Spaces (1st ADA space and then 1 out of every 6 accessible spaces provided thereafter)
1 to 25	1	1
26 to 50	2	1
51 to 75	3	1
76 to 100	4	1
101 to 150	5	1
151 to 200	6	1

Table EMMC 17.55.120(b)

Total Number of Parking Spaces Provided in Parking Facility (per facility)	Column A Minimum Number of Accessible Parking Spaces (car and van)	Column B Minimum Number of Van- Accessible Parking Spaces (1st ADA space and then 1 out of every 6 accessible spaces provided thereafter)	
201 to 300	7	2	
301 to 400	8	2	
401 to 500	9	2	
501 to 1,000	2% of total parking provided in each lot or structure	1/6 of Column A*	
1,001 and over	20 plus 1 for each 100 spaces over 1000	1/6 of Column A*	
*One out of every 6 accessible spaces			

Table 17.55.120(c) Required Parking by Land Use

Land Uses	Parking Standard	
RESIDENTIAL USES		
Single-Family Dwellings	2 stalls per dwelling unit enclosed in garages	
Two-Family Dwellings	2 stalls per dwelling unit with 1 space per unit to be within a fully enclosed garage	
Townhouses	2 stalls per dwelling unit (not in tandem configuration) plus 1 guest parking space per 3 dwelling units. 1 space per unit to be within a fully enclosed garage	
Condominiums/Apartments	2 stalls per dwelling unit plus 1 guest parking space per 3 dwelling units	
PUD or Cluster Home Development	2 stalls per dwelling unit enclosed in garages plus 1 guest parking space per 3 dwelling units	

Table 17.55.120(c) Required Parking by Land Use

Land Uses	Parking Standard	
Residential Care Facilities for Elderly Persons	1 stall per 4 beds plus 1 for each employee during regular hours	
Residential Facility for Persons with a Disability (Group Home)	1 stall per patient bed	
PUBLIC/CIVIC USES	1	
Churches	1 stall per 20 sq. ft. in main assembly room	
Parks and Playgrounds	To be determined by the planning director and planning commission (see city parks and open space master plan)	
NONRESIDENTIAL/OTHER USES		
Agriculture/Farm Industry	To be determined by the planning commission	
Automotive Service Stations	1 stall per 500 sq. ft. of gross finished floor area plus 2 stalls per service bay	
Child Day Care Center/Preschool*	1 stall per staff member plus 1 stall per 10 children	
Convenience Store	1 stall per 200 sq. ft. of gross floor area	
Grocery Store and Deli	1 stall for each 200 sq. ft. of gross floor area for building greater than 10,000 sq. ft.	
Health/Fitness Club	1 stall per 150 sq. ft. of gross floor area	
Hotel, Motel, Bed and Breakfast	1 stall per sleeping unit, plus 1 stall for each employee on duty, and 1 stall for every 200 sq. ft. of banquet/meeting rooms or restaurant space within the building	
Laundry	1 stall per 250 sq. ft. of gross floor area	
Light Manufacturing	1 stall per person employed on highest employee shift	
Lumber and Hardware	1 stall for each 200 sq. ft. of gross floor area for building greater than 10,000 sq. ft.	
Meeting/Reception Rooms	1 stall per 250 sq. ft. of gross floor area	

Table 17.55.120(c) Required Parking by Land Use

Land Uses	Parking Standard	
Office and Professional	1 stall per 300 sq. ft. of gross floor area	
Other Business	1 stall per 300 sq. ft. of gross floor area	
Printing and Publishing	1 stall per person employed on highest employee shift	
Retail Establishment	Minimum = 1 stall for each 300 sq. ft. of gross floor area for buildings; Maximum = 1 stall for each 200 sq. ft. of gross floor area for buildings	
Restaurants	1 stall per 250 sq. ft. of gross floor area	
Restaurants (Fast Food/Drive-Thru)	1 stall per 125 sq. ft. of gross floor area	
Research and Development	1 stall per 300 sq. ft. of gross floor area	
Self-Storage	To be determined by the planning commission	
Shopping Centers	1 stall for each 200 sq. ft. of gross floor area for building greater than 10,000 sq. ft.	
Warehouse and Distribution	1 stall per 2,000 sq. ft. for first 20,000 sq. ft. of gross floor area plus 1 stall per 4,000 sq. ft. of gross floor area thereafter	

* Not required of day care/preschool operated from a residence with a home business license.